

## Sewage System Notes

1. I, \_\_\_\_\_, the Design Professional, verify that the sewage system has been designed in accordance with Appendix 75A, Wastewater Treatment Standards.
2. Sewage System installation shall be inspected by a Professional Engineer or Licensed Land Surveyor and Certified to the Town of West Bloomfield as to conformance with NYS DOH Appendix 75A, Wastewater Treatment Standards prior to issuance of a Certificate of Occupancy.
3. The Town of West Bloomfield is not responsible for the design, construction or performance of the sewage disposal system.
4. All construction shall be in compliance with the Design Criteria and Construction Specifications of the Town of West Bloomfield.
5. All details of the system as installed shall conform to the details and specifications shown hereon.
6. Any minor deviation from this Plan shall require the approval of the Designer and the Town of West Bloomfield Building Inspector.
7. A major deviation from this Plan shall require submission of a revised plan to the NYS Health Department and the Town of West Bloomfield Building Department.
8. Notification shall be given to both the Designer and the Town of West Bloomfield Building Inspector a minimum of two (2) business days prior to construction to allow the scheduling of necessary inspections.
9. To enable the Designer to provide the required certification, the Contractor shall leave uncovered for inspection the top of pipe at the house outlet, the inlet and outlet of the septic tank, the inlets and outlets of the drop manholes, and the high and low ends of the absorption laterals.

Failure to comply with the above conditions could require the reconstruction of all or part of the sewage disposal system.

### Well Note

The Town of West Bloomfield is not responsible for the quantity or quality of well water.